## Washington State HIV/AIDS Surveillance Report - 02/29/2004 Washington State Department of Health

Table 1. WASHINGTON STATE HIV1 and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

	TO	OTAL CASES	S (& CASE FA	ATALITY RA	TE <sup>2</sup> )	DEATHS O	CCURRING	CASES PRESUMED LIVING				
		<b>DIAGNOS</b>	ED DURING	INTERVAL <sup>3</sup>		DURING II	NTERVAL <sup>4</sup>	DIAGNOSE	ED DURING	INTERVAL <sup>3</sup>		
	Н	IV <sup>1</sup>	Α	IDS	HIV/AIDS	HIV <sup>1</sup>	AIDS	HIV <sup>1</sup>	AIDS	HIV/AIDS		
	No.	(%)	No.	(%)	Total	No.	No.	No.	No.	Total		
1982	2	(0%)	1	(100%)	3	0	0	2	0	2		
1983	6	(17%)	20	(100%)	26	0	7	5	0	5		
1984	14	(0%)	79	(97%)	93	0	31	14	2	16		
1985	68	(7%)	132	(97%)	200	0	81	63	4	67		
1986	63	(11%)	250	(98%)	313	0	128	56	6	62		
1987	76	(11%)	371	(95%)	447	2	187	68	17	85		
1988	84	(12%)	497	(93%)	581	6	240	74	34	108		
1989	125	(10%)	629	(91%)	754	8	311	112	58	170		
1990	140	(11%)	759	(89%)	899	6	378	124	83	207		
1991	155	(7%)	856	(86%)	1,011	4	477	144	123	267		
1992	146	(7%)	924	(75%)	1,070	7	530	136	227	363		
1993	130	(4%)	998	(65%)	1,128	12	644	125	346	471		
1994	175	(3%)	893	(52%)	1,068	4	683	170	427	597		
1995	186	(2%)	791	(34%)	977	5	676	182	522	704		
1996	226	(3%)	717	(23%)	943	3	477	220	549	769		
1997	232	(5%)	534	(17%)	766	6	221	221	442	663		
1998	219	(2%)	412	(19%)	631	3	154	214	332	546		
1999	289	(2%)	374	(19%)	663	4	140	284	304	588		
2000	357	(1%)	452	(17%)	809	27	160	352	376	728		
2001	324	(1%)	414	(11%)	738	18	147	322	367	689		
2002	319	(1%)	433	(7%)	752	9	123	316	403	719		
2003 <sup>5</sup>	323	(0%)	407	(4%)	730	9	134	322	390	712		
2004 YTD <sup>5</sup>	10	(0%)	12	(8%)	22	0	3	10	11	21		
TOTAL	3,669	(4%)	10,955	(54%)	14,624	133	5,932	3,536	5,023	8,559		

Table 2. WASHINGTON STATE HIV1 AND AIDS CASES, GENDER BY AGE AT DIAGNOSIS

			Н	IV <sup>1</sup>		AIDS									
	Male		Female		Total		Male		Female		T	otal			
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)			
Under 13	17	(0%)	20	(1%)	37	(1%)	15	(0%)	17	(0%)	32	(0%)			
13-19	58	(2%)	39	(1%)	97	(3%)	29	(0%)	11	(0%)	40	(0%)			
20-29	1,036	(28%)	201	(5%)	1,237	(34%)	1,638	(15%)	219	(2%)	1,857	(17%)			
30-39	1,309	(36%)	164	(4%)	1,473	(40%)	4,716	(43%)	375	(3%)	5,091	(46%)			
40-49	563	(15%)	89	(2%)	652	(18%)	2,634	(24%)	202	(2%)	2,836	(26%)			
50-59	128	(3%)	21	(1%)	149	(4%)	759	(7%)	76	(1%)	835	(8%)			
60+	19	(1%)	5	(0%)	24	(1%)	234	(2%)	30	(0%)	264	(2%)			
TOTAL	3,130	(85%)	539	(15%)	3,669	(100%)	10,025	(92%)	930	(8%)	10,955	(100%)			

<sup>1</sup> Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>2</sup> Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

<sup>3</sup> Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

<sup>4</sup> Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

<sup>5</sup> Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

## Washington State HIV/AIDS Surveillance Report - 02/29/2004 Washington State Department of Health

Table 3. WASHINGTON STATE HIV1 CASES, RACE/ETHNICITY10 AND EXPOSURE CATEGORY

		Adult/Ad	dolescent		Ped	<u>diatric</u>	<u>Tc</u>	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity <sup>10</sup>								
White, not Hispanic	2403	(77%)	271	(52%)	13	(35%)	2687	(73%)
Black, not Hispanic	343	(11%)	160	(31%)	14	(38%)	517	(14%)
Hispanic (All Races)	229	(7%)	45	(9%)	6	(16%)	280	(8%)
Asian/Pacific Islander	3	(0%)	4	(1%)	0	(0%)	7	(0%)
Asian	66	(2%)	9	(2%)	4	(11%)	79	(2%)
Hawaiian/Pacific Islander	4	(0%)	1	(0%)	0	(0%)	5	(0%)
Native American/Alaskan	37	(1%)	23	(4%)	0	(0%)	60	(2%)
Multi-race	6	(0%)	0	(0%)	0	(0%)	6	(0%)
Unknown	22	(1%)	6	(1%)	0	(0%)	28	(1%)
Total	3113	(100%)	519	(100%)	37	(100%)	3669	(100%)
Exposure Category								
Male/male sex (MSM)	2286	(73%)	N/A	( )	0	(0%)	2286	(62%)
Injecting Drug Use (IDU)	231	(7%)	136	(26%)	0	(0%)	367	(10%)
MSM and IDU	310	(10%)	N/A	`( )	0	(0%)	310	(8%)
Transfusion/Transplant	6	(0%)	8	(2%)	0	(0%)	14	(0%)
Hemophilia	12	(0%)	1	(0%)	1	(3%)	14	(0%)
Heterosexual Contact <sup>6</sup>	104	(3%)	261	(50%)	0	(0%)	365	(10%)
Mother at Risk for HIV	0	(0%)	0	(0%)	34	(92%)	34	(1%)
No Identified Risk <sup>7</sup> /Other	164	(5%)	113	(22%)	2	(5%)	279	(8%)
Total	3113	(100%)	519	(100%)	37	(100%)	3669	(100%)

Table 4. WASHINGTON STATE AIDS CASES, RACE/ETHNICITY10 AND EXPOSURE CATEGORY

		Adult/Ad	lolescent		Ped	<u>diatric</u>	<u>T</u>	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity <sup>10</sup>								
White, not Hispanic	8013	(80%)	523	(57%)	15	(47%)	8551	(78%)
Black, not Hispanic	941	(9%)	232	(25%)	10	(31%)	1183	(11%)
Hispanic (All Races)	710	(7%)	78	(9%)	4	(13%)	792	(7%)
Asian/Pacific Islander	34	(0%)	12	(1%)	1	(3%)	47	(0%)
Asian	106	(1%)	15	(2%)	0	(0%)	121	(1%)
Hawaiian/Pacific Islander	20	(0%)	5	(1%)	0	(0%)	25	(0%)
Native American/Alaskan	157	(2%)	42	(5%)	1	(3%)	200	(2%)
Multi-race	18	(0%)	3	(0%)	1	(3%)	22	(0%)
Unknown	11	(0%)	3	(0%)	0	(0%)	14	(0%)
Total	10010	(100%)	913	(100%)	32	(100%)	10955	(100%)
Evenesium Cotomonii								
Exposure Category	7000	(700/)	N/A	( )	0	(00/)	7000	(070/)
Male/male sex (MSM)	7339 729	(73%)	1N/A 278	(2007)	0 0	(0%)	7339 1007	(67%)
Injecting Drug Use (IDU) MSM and IDU	_	(7%)	N/A	(30%)	-	(0%)		(9%)
Transfusion/Transplant	1091 73	(11%) (1%)	1N/A 49	( ) (5%)	0 0	(0%) (0%)	1091 122	(10%) (1%)
•	82	` ,	49	, ,	4	, ,	90	` '
Hemophilia	_	(1%)		(0%)		(13%)		(1%)
Heterosexual Contact <sup>6</sup>	257	(3%)	453	(50%)	0	(0%)	710	(6%)
Mother at Risk for HIV	0	(0%)	0	(0%)	28	(88%)	28	(0%)
No Identified Risk <sup>7</sup> /Other	439	(4%)	129	(14%)	0	(0%)	568	(5%)
Total	10010	(100%)	913	(100%)	32	(100%)	10955	(100%)

<sup>1</sup> Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>6 &</sup>lt;u>Heterosexual Contact</u> with a person who is known to be HIV infected or at increased risk for HIV infection.

<sup>7</sup> No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

<sup>10</sup> Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

# Washington State HIV/AIDS Surveillance Report - 02/29/2004 Washington State Department of Health

Table 5. WA STATE HIV1 AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE8 AT DIAGNOSIS

		CASE	S DIAGN	OSED			DEA	THS			PRES	SUMED L	<u>IVING</u>	
	Н	IV <sup>1</sup>	Al	DS	HIV/AIDS	F	HV <sup>1</sup>	Α	IDS	Н	IV <sup>1</sup>	А	IDS	HIV/AIDS
	No.	(%)	No.	(%)	TOTAL	No.	(%)	No.	(%)	No.	(%)	No.	(%)	TOTAL
REGION 1	156	(4.3%)	609	(5.6%)	765	9	(6.8%)	320	(5.4%)	147	(4.2%)	289	(5.8%)	436
ADAMS CO.	1	(0.0%)	5	(0.0%)	6	0	(0.0%)	1	(0.0%)	1	(0.0%)	4	(0.1%)	5
ASOTIN CO.	3	(0.1%)	14	(0.1%)	17	1	(0.8%)	6	(0.1%)	2	(0.1%)	8	(0.2%)	10
COLUMBIA CO.	1	(0.0%)	4	(0.0%)	5	0	(0.0%)	3	(0.1%)	1	(0.0%)	1	(0.0%)	2
FERRY CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	6	(0.1%)	0	(0.0%)	1	(0.0%)	1
GARFIELD CO.	0	(0.0%)	0	(0.0%)	0	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0
LINCOLN CO.	0	(0.0%)	4	(0.0%)	4	0	(0.0%)	2	(0.0%)	0	(0.0%)	2	(0.0%)	2
OKANOGAN CO.	7	(0.2%)	22	(0.2%)	29	0	(0.0%)	8	(0.1%)	7	(0.2%)	14	(0.3%)	21
PEND OREILLE CO.	1	(0.0%)	8	(0.1%)	9	0	(0.0%)	5	(0.1%)	1	(0.0%)	3	(0.1%)	4
SPOKANE CO.	131	(3.6%)	454	(4.1%)	585	7	(5.3%)	247	(4.2%)	124	(3.5%)	207	(4.1%)	331
STEVENS CO.	4	(0.1%)	23	(0.2%)	27	0	(0.0%)	8	(0.1%)	4	(0.1%)	15	(0.3%)	19
WALLA WALLA CO.	6	(0.2%)	58	(0.5%)	64	1	(0.8%)	30	(0.5%)	5	(0.1%)	28	(0.6%)	33
WHITMAN CO.	2	(0.1%)	10	(0.1%)	12	0	(0.0%)	4	(0.1%)	2	(0.1%)	6	(0.1%)	8
REGION 2	120	(3.3%)	359	(3.3%)	479	6	(4.5%)	181	(3.1%)	114	(3.2%)	178	(3.5%)	292
BENTON CO.	21	(0.6%)	78	(0.7%)	99	1	(0.8%)	34	(0.6%)	20	(0.6%)	44	(0.9%)	64
CHELAN CO.	12	(0.3%)	34	(0.3%)	46	0	(0.0%)	21	(0.4%)	12	(0.3%)	13	(0.3%)	25
DOUGLAS CO.	2	(0.1%)	2	(0.0%)	4	0	(0.0%)	2	(0.0%)	2	(0.1%)	0	(0.0%)	2
FRANKLIN CO.	19	(0.5%)	39	(0.4%)	58	1	(0.8%)	12	(0.2%)	18	(0.5%)	27	(0.5%)	45
GRANT CO.	8	(0.2%)	29	(0.3%)	37	1	(0.8%)	21	(0.4%)	7	(0.2%)	8	(0.2%)	15
KITTITAS CO.	3	(0.1%)	14	(0.1%)	17	0	(0.0%)	9	(0.2%)	3	(0.1%)	5	(0.1%)	8
KLICKITAT CO.	5	(0.1%)	11	(0.1%)	16	0	(0.0%)	8	(0.1%)	5	(0.1%)	3	(0.1%)	8
YAKIMA CO.	50	(1.4%)	152	(1.4%)	202	3	(2.3%)	74	(1.2%)	47	(1.3%)	78	(1.6%)	125
REGION 3	282	(7.7%)	861	(7.9%)	1,143	12	(9.0%)	442	(7.5%)	270	(7.6%)	419	(8.3%)	689
ISLAND CO.	16	(0.4%)	59	(0.5%)	75	1	(0.8%)	35	(0.6%)	15	(0.4%)	24	(0.5%)	39
SAN JUAN CO.	6	(0.2%)	18	(0.2%)	24	0	(0.0%)	10	(0.2%)	6	(0.2%)	8	(0.2%)	14
SKAGIT CO.	22	(0.6%)	51	(0.5%)	73	2	(1.5%)	27	(0.5%)	20	(0.6%)	24	(0.5%)	44
SNOHOMISH CO.	199	(5.4%)	581	(5.3%)	780	8	(6.0%)	294	(5.0%)	191	(5.4%)	287	(5.7%)	478
WHATCOM CO.	39	(1.1%)	152	(1.4%)	191	1	(0.8%)	76	(1.3%)	38	(1.1%)	76	(1.5%)	114
REGION 5	408	(11.1%)	1,165	(10.6%)	1,573	24	(18.0%)	629	(10.6%)	384	(10.9%)	536	(10.7%)	920
KITSAP CO.	67	(1.8%)	196	(1.8%)	263	1	(0.8%)	106	(1.8%)	66	(1.9%)	90	(1.8%)	156
PIERCE CO.	341	(9.3%)	969	(8.8%)	1,310	23	(17.3%)	523	(8.8%)	318	(9.0%)	446	(8.9%)	764
REGION 6	279	(7.6%)	916	(8.4%)	1,195	12	(9.0%)	452	(7.6%)	267	(7.6%)	464	(9.2%)	731
CLALLAM CO.	16	(0.4%)	51	(0.5%)	67	2	(1.5%)	27	(0.5%)	14	(0.4%)	24	(0.5%)	38
CLARK CO.	123	(3.4%)	403	(3.7%)	526	2	(1.5%)	197	(3.3%)	121	(3.4%)	206	(4.1%)	327
COWLITZ CO.	29	(0.8%)	90	(0.8%)	119	1	(0.8%)	50	(0.8%)	28	(0.8%)	40	(0.8%)	68
GRAYS HARBOR CO.	11	(0.3%)	48	(0.4%)	59	1	(0.8%)	28	(0.5%)	10	(0.3%)	20	(0.4%)	30
JEFFERSON CO.	7	(0.2%)	24	(0.2%)	31	3	(2.3%)	14	(0.2%)	4	(0.1%)	10	(0.2%)	14
LEWIS CO.	8	(0.2%)	40	(0.4%)	48	1	(0.8%)	26	(0.4%)	7	(0.2%)	14	(0.3%)	21
MASON CO.	19	(0.5%)	70	(0.6%)	89	0	(0.0%)	20	(0.3%)	19	(0.5%)	50	(1.0%)	69
PACIFIC CO.	7	(0.2%)	17	(0.2%)	24	0	(0.0%)	11	(0.2%)	7	(0.2%)	6	(0.1%)	13
SKAMANIA CO.	0	(0.0%)	7	` ,	7	0	(0.0%)	5	(0.1%)	0	(0.0%)	2	(0.0%)	2
THURSTON CO.	58	(1.6%)	164	(1.5%)	222	2	(1.5%)	74	(1.2%)	56	(1.6%)	90	(1.8%)	146
WAHKIAKUM CO.	1	(0.0%)	2	(0.0%)	3	0	(0.0%)	0	(0.0%)	1	(0.0%)	2	(0.0%)	3
SUBTOTAL	1,245	(33.9%)	3,910	(35.7%)	5,155	63	(47.4%)	2,024	(34.1%)	1,182	(33.4%)	1,886	(37.5%)	3,068
REGION 4 (KING CO.)	2,424	(66.1%)	7,045	(64.3%)	9,469	70	(52.6%)	3,908	(65.9%)	2,354	(66.6%)	3,137	(62.5%)	5,491
STATE TOTAL	3,669	(100%)	10,955	(100%)	14,624	133	(100%)	5,932	(100%)	3,536	(100%)	5,023	(100%)	8,559

<sup>1</sup> Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>8</sup> County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

### Washington State HIV/AIDS Surveillance Report - 02/29/2004

Table 6. WASHINGTON STATE HIV1 CASES, YEAR OF DIAGNOSIS3 BY GENDER, RACE/ETHNICITY10, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE9 AT DIAGNOSIS

	198	32-1989	199	0-1997	1998-0	Current <sup>5</sup>	Cum	ulative	2	2000	2	001	2	002	2	003 <sup>5</sup>	200	4 YTD⁵
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Gender						()				,,							_	
Male	403	(92%)	1168	(84%)	1559	(85%)	3130	(85%)	291	(82%)	280	(86%)	273	(86%)	271	(84%)	9	(90%)
Female	35	(8%)	222	(16%)	282	(15%)	539	(15%)	66	(18%)	44	(14%)	46	(14%)	52	(16%)	1	(10%)
Total	438	(100%)	1390	(100%)	1841	(100%)	3669	(100%)	357	(100%)	324	(100%)	319	(100%)	323	(100%)	10	(100%)
Race/Ethnicity <sup>10</sup>																		
White, not Hispanic	373	(85%)	1077	(77%)	1237	(67%)	2687	(73%)	231	(65%)	217	(67%)	205	(64%)	209	(65%)	8	(80%)
Black, not Hispanic	42	(10%)	167	(12%)	308	(17%)	517	(14%)	67	(19%)	52	(16%)	67	(21%)	56	(17%)	1	(10%)
Hispanic (All Races)	11	(3%)	89	(6%)	180	(10%)	280	(8%)	37	(10%)	34	(10%)	28	(9%)	35	(11%)	0	(0%)
Asian/Pacific Islander	0	(0%)	1	(0%)	6	(0%)	7	(0%)	2	(1%)	2	(1%)	0	(0%)	0	(0%)	0	(0%)
Asian	3	(1%)	25	(2%)	51	(3%)	79	(2%)	10	(3%)	11	(3%)	7	(2%)	9	(3%)	0	(0%)
Hawaiian/Pacific Islander	1	(0%)	0	(0%)	4	(0%)	5	(0%)	1	(0%)	0	(0%)	0	(0%)	2	(1%)	0	(0%)
Native American/Alaskan	6	(1%)	22	(2%)	32	(2%)	60	(2%)	5	(1%)	5	(2%)	5	(2%)	10	(3%)	1	(10%)
Multi-race	0	(0%)	1	(0%)	5	(0%)	6	(0%)	0	(0%)	0	(0%)	4	(1%)	1	(0%)	0	(0%)
Unknown	2	(0%)	8	(1%)	18	(1%)	28	(1%)	4	(1%)	3	(1%)	3	(1%)	1	(0%)	0	(0%)
Total	438	(100%)	1390	(100%)	1841	(100%)	3669	(100%)	357	(100%)	324	(100%)	319	(100%)	323	(100%)	10	(100%)
Exposure Category																		
Male/male sex (MSM)	299	(68%)	850	(61%)	1137	(62%)	2286	(62%)	200	(56%)	190	(59%)	199	(62%)	199	(62%)	9	(90%)
Injecting Drug Use (IDU)	48	(11%)	144	(10%)	175	(10%)	367	(10%)	48	(13%)	28	(9%)	29	(9%)	25	(8%)	1	(10%)
MSM and IDU	50	(11%)	121	(9%)	139	(8%)	310	(8%)	25	(7%)	26	(8%)	29	(9%)	24	(7%)	0	(0%)
Transfusion/Transplant	3	(1%)	7	(1%)	4	(0%)	14	(0%)	1	(0%)	2	(1%)	0	(0%)	0	(0%)	0	(0%)
Hemophilia	9	(2%)	4	(0%)	1	(0%)	14	(0%)	1	(0%)	0	(0%)	0	(0%)	0	(0%)	0	(0%)
Heterosexual Contact <sup>6</sup>	12	(3%)	141	(10%)	212	(12%)	365	(10%)	46	(13%)	40	(12%)	41	(13%)	39	(12%)	0	(0%)
Mother at Risk for HIV	3	(1%)	25	(2%)	6	(0%)	34	(1%)	2	(1%)	0	(0%)	0	(0%)	1	(0%)	0	(0%)
No Identified Risk <sup>7</sup> /Other	14	(3%)	98	(7%)	167	(9%)	279	(8%)	34	(10%)	38	(12%)	21	(7%)	35	(11%)	0	(0%)
Total	438	(100%)	1390	(100%)	1841	(100%)	3669	(100%)	357	(100%)	324	(100%)	319	(100%)	323	(100%)	10	(100%)
		(10070)	.000	(10070)		(10070)	0000	(10070)		(10070)		(10070)	0.0	(10070)	020	(10070)		(10070)
AIDSNET Region	00	(50/)	50	(40/)	70	(40/)	450	(40/)	47	(50()	45	(50()	45	(50()	40	(40/)	0	(00()
Region 1	22	(5%)	56	(4%)	78	(4%)	156	(4%)	17	(5%)	15	(5%)	15	(5%)	13	(4%)	0	(0%)
Region 2	11	(3%)	40	(3%)	69	(4%)	120	(3%)	10	(3%)	10	(3%)	16	(5%)	13	(4%)	0	(0%)
Region 3	31	(7%)	127	(9%)	124	(7%)	282	(8%)	21	(6%)	24	(7%)	16	(5%)	22	(7%)	2	(20%)
Region 5	41	(9%)	169	(12%)	198	(11%)	408	(11%)	46	(13%)	27	(8%)	37	(12%)	37	(11%)	0	(0%)
Region 6	30	(7%)	115	(8%)	134	(7%)	279	(8%)	16	(4%)	30	(9%)	24	(8%)	28	(9%)	2	(20%)
Subtotal	135	(31%)	507	(36%)	603	(33%)	1245	(34%)	110	(31%)	106	(33%)	108	(34%)	113	(35%)	4	(40%)
Region 4 (King Co.)	303 438	(69%)	883	(64%)	1238	(67%) (100%)	2424 3669	(66%)	247 357	(69%)	218	(67%)	211 319	(66%)	210	(65%)	6 10	(60%)
Total	438	(100%)	1390	(100%)	1841	(100%)	3669	(100%)	<i>351</i>	(100%)	324	(100%)	319	(100%)	323	(100%)	10	(100%)

#### Notes:

- 1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- 7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health IDRH Assessment Unit P.O. Box 47838 -- Olympia, WA 98504-7838 (360) 236-3455

## Washington State HIV/AIDS Surveillance Report - 02/29/2004

Table 7. WASHINGTON STATE AIDS CASES, YEAR OF DIAGNOSIS BY GENDER, RACE/ETHNICITY10, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE AT DIAGNOSIS

		2-1989		0-1997		Current <sup>5</sup>		ulative		000		001		2002		003 <sup>5</sup>		4 YTD <sup>5</sup>
Gender	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Male	1915	(97%)	5957	(92%)	2153	(86%)	10025	(92%)	387	(86%)	365	(88%)	361	(83%)	339	(83%)	9	(75%)
Female	64	(3%)	515	(8%)	351	(14%)	930	(8%)	65	(14%)	49	(12%)	72	(17%)	68	(17%)	3	(25%)
Total	1979	(100%)	6472	(100%)	2504	(100%)	10955	(100%)	452	(100%)	414	(100%)	433	(100%)	407	(100%)	12	(100%)
		(100,0)		(100,0)		(100,0)		(100,0)		(100,0)		(100,0)		(100,0)		(100,0)		(100,0)
Race/Ethnicity <sup>10</sup>		(000()		( <b>70</b> 04)		(0=0()		(=oo()		(0=0()		(000()		(0=0()		(0=0()		(000()
White, not Hispanic	1733	(88%)	5141	(79%)	1677	(67%)	8551	(78%)	304	(67%)	273	(66%)	280	(65%)	266	(65%)	10	(83%)
Black, not Hispanic	132	(7%)	639	(10%)	412	(16%)	1183	(11%)	84	(19%)	75	(18%)	78	(18%)	62	(15%)	0	(0%)
Hispanic (All Races)	78	(4%)	437	(7%)	277	(11%)	792	(7%)	45	(10%)	45	(11%)	46	(11%)	52	(13%)	1	(8%)
Asian/Pacific Islander	3	(0%)	32	(0%)	12	(0%)	47	(0%)	0	(0%)	3	(1%)	4	(1%)	1	(0%)	0	(0%)
Asian	11	(1%)	70	(1%)	40	(2%)	121	(1%)	3	(1%)	5	(1%)	12	(3%)	9	(2%)	0	(0%)
Hawaiian/Pacific Islander	5	(0%)	10	(0%)	10	(0%)	25	(0%)	3	(1%)	0	(0%)	2	(0%)	5	(1%)	0	(0%)
Native American/Alaskan	16	(1%)	124	(2%)	60	(2%)	200	(2%)	8	(2%)	11	(3%)	10	(2%)	9	(2%)	1	(8%)
Multi-race	1	(0%)	15	(0%)	6	(0%)	22	(0%)	2	(0%)	0	(0%)	0	(0%)	3	(1%)	0	(0%)
Unknown	0	(0%)	4	(0%)	10	(0%)	14	(0%)	3	(1%)	2	(0%)	1	(0%)	0	(0%)	0	(0%)
Total	1979	(100%)	6472	(100%)	2504	(100%)	10955	(100%)	452	(100%)	414	(100%)	433	(100%)	407	(100%)	12	(100%)
Exposure Category																		
Male/male sex (MSM)	1521	(77%)	4410	(68%)	1408	(56%)	7339	(67%)	258	(57%)	239	(58%)	231	(53%)	231	(57%)	6	(50%)
Injecting Drug Use (IDU)	86	(4%)	612	(9%)	309	(12%)	1007	(9%)	57	(13%)	45	(11%)	50	(12%)	48	(12%)	2	(17%)
MSM and IDU	236	(12%)	643	(10%)	212	(8%)	1091	(10%)	35	(8%)	38	(9%)	39	(9%)	27	(7%)	0	(0%)
Transfusion/Transplant	47	(2%)	65	(1%)	10	(0%)	122	(1%)	3	(1%)	0	(0%)	1	(0%)	1	(0%)	0	(0%)
Hemophilia	30	(2%)	53	(1%)	7	(0%)	90	(1%)	3	(1%)	1	(0%)	0	(0%)	1	(0%)	0	(0%)
Heterosexual Contact <sup>6</sup>		(1%)		` ,	295	(12%)	710	(6%)	_	` '		, ,	•	` '	•	(13%)	2	(17%)
Mother at Risk for HIV	29 8	(0%)	386	(6%)	295	(0%)	28	(0%)	51 2	(11%)	52 0	(13%) (0%)	69 0	(16%)	51 0	` ,	0	
	_	` '	18	(0%)		,		` ,		(0%)		, ,		(0%)		(0%)	-	(0%)
No Identified Risk <sup>7</sup> /Other	22	(1%)	285	(4%)	261	(10%)	568	(5%)	43	(10%)	39	(9%)	43	(10%)	48	(12%)	2	(17%)
Total	1979	(100%)	6472	(100%)	2504	(100%)	10955	(100%)	452	(100%)	414	(100%)	433	(100%)	407	(100%)	12	(100%)
AIDSNET Region																		
Region 1	80	(4%)	367	(6%)	162	(6%)	609	(6%)	33	(7%)	21	(5%)	30	(7%)	26	(6%)	2	(17%)
Region 2	49	(2%)	203	(3%)	107	(4%)	359	(3%)	19	(4%)	18	(4%)	15	(3%)	20	(5%)	0	(0%)
Region 3	113	(6%)	534	(8%)	214	(9%)	861	(8%)	29	(6%)	31	(7%)	42	(10%)	37	(9%)	0	(0%)
Region 5	173	(9%)	679	(10%)	313	(13%)	1165	(11%)	72	(16%)	60	(14%)	40	(9%)	34	(8%)	2	(17%)
Region 6	111	(6%)	568	(9%)	237	(9%)	916	(8%)	34	(8%)	53	(13%)	50	(12%)	29	(7%)	2	(17%)
Subtotal	526	(27%)	2351	(36%)	1033	(41%)	3910	(36%)	187	(41%)	183	(44%)	177	(41%)	146	(36%)	6	(50%)
Region 4 (King Co.)	1453	(73%)	4121	(64%)	1471	(59%)	7045	(64%)	265	(59%)	231	(56%)	256	(59%)	261	(64%)	6	(50%)
Total	1979	(100%)	6472	(100%)	2504	(100%)	10955	(100%)	452	(100%)	414	(100%)	433	(100%)	407	(100%)	12	(100%)
				• /		. /		, /						` /				

- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- 7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multirace" category.